## STAMP INKS

## **INDEX**

Consolidated (Cosco) INK-COS-2KP INK-COS-ES INK-COS-IS-ST INK-COS-IS-SP INK-COS-AS	2000 Plus Ink Evo-Stamp Flash Ink I-Stamp Ink Standard Colors I-Stamp Ink Special Colors Accu-Stamp Ink	Page 2 2 2 2 2 2
Millennium Marking INK-MIL-MXL-ST INK-MIL-MXL-FL INK-MIL-MXL-SP INK-MIL-MAX INK-MIL-NM INK-MIL-FF INK-MIL-IUV INK-MIL-RM INK-MIL-IT INK-MIL-PCO INK-MIL-CSM INK-MIL-PCI	MaxLight Standard Colors Ink MaxLight Fluorescent Colors Ink MaxLight Special Colors Ink Maxum Water Based Ink JustRite Numbering Machine Ink JustRite Frozen Food Ink JustRite Invisible Ultra-Violet Ink JustRite Rapid Mark Ink JustRite / Pro-Color Ink Reconditioner / Thinner / Cleaner Pro-Color Ultra Perm Opaque All-Purpose Ink Crown Super Marking Photo / Grocery Ink Pro-Color Sure Print Indelible Fabric Ink	Page 2 2 3 3 3 3 3 4 4 4 4
Trodat INK-TRO-UM INK-TRO-UF INK-TRO-RM	Ulti-Mark Re-Inking Fluid Ulti-Fast (U.F.) Ink Royal Mark Re-Inking Fluid	<b>Page</b> 4 4 4
Shachihata - Xstamper INK-SXS-SS INK-SXS-XST INK-SXS-STSG	Secure Stamper Ink Xstamper Ink Fast Dry Industrial STSG Ink	<b>Page</b> 4 5 5
Shachihata - ClassiX INK-SCL-CLX	ClassiX Ink	<b>Page</b> 5
Shachihata - Artline INK-SAR-470 INK-SAR-480 INK-SAR-430 INK-SAR-450 INK-SAR-520 INK-SAR-540 INK-SAR-SP INK-SAR-STG	Hi-Seal 470 Invisible Ultra-Violet Ink Hi-Seal 480 Invisible Ultra-Violet Industrial Ink Hi-Seal 430 General Purpose Industrial Ink Hi-Seal 450 Food Packaging Ink Hi-Seal 520 General Purpose Industrial Ink Hi-Seal 540 General Purpose Industrial Ink Artline Stamp Pad Ink Quick Dry Industrial STG Ink	<b>Page</b> 5 5 5 5 6 6 6 6





ITEM: INK-COS-2KP

NAME: Cosco 2000 Plus Refill Ink

SURFACES: Porous

DRY TIME:

VEHICLE: Water Based

COLORS: Black, Red, Blue, Green, & Purple.

SIZES: .9 oz

APPLICATION: Self-Inking Rubber Stamps and Traditional Stamp Pads.

CHARACTERISTICS:



ITEM: INK-COS-ES

NAME: Cosco Evo-Stamp Flash Ink

SURFACES: Porous

DRY TIME:

VEHICLE: Oil Based

COLORS: Black, Red, Blue, Green & Purple

APPLICATION: Re-Fill Ink specifically For Pre-Inked Evo-Stamp Flash Stamps

CHARACTERISTICS:



ITEM: INK-COS-IS-ST

NAME: IStamp Flash Ink Standard Colors

SURFACES: Porous

DRY TIME:

VEHICLE: Oil Based

COLORS: Black, Red, Blue, Green and Purple.

SIZES: 1/2 oz and 2 oz

APPLICATION: Re-Fill Ink Specifically for Pre-Inked IStamp Flash Stamps

CHARACTERISTICS:



ITEM: INK-COS-IS-SP

NAME: IStamp Flash Ink Special Colors

SURFACES: Porous DRY TIME:

VEHICLE: Oil-Based

COLORS: Orange, Yellow, Pink, Brown, Light Blue and Yellow/Green.

SIZES: 1/2 oz and 2 oz

APPLICATION: Re-Fill Ink Specifically for Pre-Inked IStamp Flash Stamps.

CHARACTERISTICS:



**ITEM: INK-COS-AS** 

NAME: Cosco Accu-Stamp Gel Ink

SURFACES: Porous

DRY TIME:

VEHICLE: Oil-Based

COLORS: Black, Red, Blue, Green & Purple

APPLICATION: Gel Re-Fill Ink Specifically for Pre-Inked Accu-Stamp Flash Stamps

CHARACTERISTICS:

Consolidated (Cosco)

Millennium Marking



ITEM: INK-MIL-MXL-ST

NAME: MaxLight Standard Colors

SURFACES: Porous

DRY TIME:

VEHICLE: Oil Based

COLORS: Black, Blue, Red, Green & Purple

SIZES: 1/4 oz and 2 oz

APPLICATION: Re-Fill Ink Specifically for Pre-Inked Max-Light and PSI Flash Stamps

CHARACTERISTICS:



ITEM: INK-MIL-MXL-FL

NAME: MaxLight Fluorescent Colors

SURFACES: Porous

DRY TIME:

VEHICLE: Oil-Based

COLORS: Pink, Red, Orange & Yellow

SIZES: 1/4 oz and 2 oz

APPLICATION: Re-Fill Ink Specifically for Pre-Inked Max-Light and PSI Flash Stamps

CHARACTERISTICS:



ITEM: INK-MIL-MXL-SP NAME: MaxLight Special Colors

SURFACES: Porous

DRY TIME: VEHICLE: Oil-Based

COLORS: Burgundy, Process-Blue & Brown

SIZES: 1/4 oz and 2 oz

APPLICATION: Re-Fill Ink Specifically for Pre-Inked Max-Light and PSI Flash Stamps

CHARACTERISTICS:



ITEM: INK-MIL-MAX

NAME: Maxum Ink SURFACES: Porous

DRY TIME:

VEHICLE: Water-Based

COLORS: Black, Red, Blue, Purple & Green SIZES: 1/2 oz, 2 oz, Pint, Quart & Gallon

APPLICATION: Traditional Stamp Pads and Self-Inking Stamps

CHARACTERISTICS:



ITEM: INK-MIL-NM

NAME: JustRite Numbering Machine Ink

SURFACES: Porous

DRY TIME:

VEHICLE: Solvent Based COLORS: Black & Rd SIZES: 2 oz and Quart

APPLICATION: For Use With Metal Wheel Numbering and Dating Machines. Do Not Use With Machines Having Rubber-

Faced Or Photopolymer Die.

CHARACTERISTICS:



ITEM: INK-MIL-FF

NAME: JustRite Frozen Food Ink SURFACES: Porous and Non-Porous

DRY TIME:

VEHICLE: Solvent Based COLORS: Purple & Red SIZES: 4 oz, 8 oz & Pint

APPLICATION: Traditional Rubber Stamp and Self-Inking Price Markers

CHARACTERISTICS: For marking packaging in low temperature cases. Best for light-colored surfaces.



ITEM: INK-MIL-IUV

NAME: JustRite Invisible Ultraviolet Ink

SURFACES: Porous

DRY TIME:

VEHICLE: Solvent Based COLORS: Invisible

SIZES: 2 oz, Pint, Quart & Gallon

APPLICATION: Traditional Rubber Stamp

CHARACTERISTICS: Impressions are totally invisible until held under a black/ultraviolet light.



ITEM: INK-MIL-RM

NAME: JustRite Rapid Mark Ink SURFACES: Non-Porous DRY TIME: 45 Seconds VEHICLE: Solvent Based COLORS: Black, Red & White SIZES: 2 oz and Quart

APPLICATION: JustRite All Metal Self-Inking Stamps, Select Plastic Self-Inking Stamps and Traditional Rubber Stamps. CHARACTERISTICS: Pad stays moist for up to 1 week. Easy to re-ink. No re-activator required. For use with rubber dies

only.



ITEM: INK-MIL-IT

NAME: JustRite / Pro-Color Ink Reconditioner / Thinner / Cleaner

SURFACES: DRY TIME:

VEHICLE: Solvent Based

COLORS:

SIZES: 4 oz, Pint, Quart and Gallon

APPLICATION: Dispense directly onto pad or into ink container. Paper or cloth towel for stamp cleaning or ink removal

from surfaces.

CHARACTERISTICS: Use to thin inks or to reduce "caking" on pads and stamp die surface.



ITEM: INK-MIL-PCO

NAME: Pro-Color Ultra Perm Opaque Ink (#667) - All Purpose Ink

SURFACES: Porous and Non-Porous

DRY TIME: 15 Seconds VEHICLE: Solvent Based

COLORS: Black, Red, Blue, Green, Violet, Yellow & White

SIZES: 4 oz, Pint, Quart & Gallon

APPLICATION: Traditional Rubber Stamp.

CHARACTERISTICS: Permanent water, alcohol and fade-resistant ink.



ITEM: INK-MIL-CSM

NAME: Crown Super Marking Ink (#445) - Photo / Grocery Ink

SURFACES: Porous and Non-Porous

DRY TIME: 10 - 60 Seconds VEHICLE: Solvent Based

COLORS: Black, Red, Blue, Green & Violet

SIZES: 4 oz, Pint, Quart & Gallon

APPLICATION: Traditional Rubber Stamps, Self-Inking Price Markers and Select Plastic Self-Inking Stamps.

CHARACTERISTICS: Permanent and water-resistant ink. For use with rubber dies only.



ITEM: INK-MIL-PCI

NAME: Pro-Color Sure Print Indelible Ink (#532) - Fabric Ink

SURFACES: Porous and Non-Porous

DRY TIME: Almost immediate depending on the absorbency of the material.

VEHICLE: Solvent Based

COLORS: Black, Red, Blue & White SIZES: 4 oz, Pint, Quart & Gallon

APPLICATION: Traditional Rubber Stamp. Select Plastic Self-Inking Stamps.

CHARACTERISTICS: Permanent marking of light colored cotton, linen & rayon. Will withstand many washing. Fabric should be washed before imprinting.

Millennium Marking



ITEM: INK-TRO-UM

NAME: UltiMark Re-Inking Fluid

SURFACES: Porous

DRY TIME:

VEHICLE: Oil-Based

COLORS: Black, Red, Green, Blue & Violet.

SIZES: 1/2 oz and 2 oz

APPLICATION: Re-Inking Fluid Specifically for Pre-Inked UltiMark Flash Stamps

CHARACTERISTICS:



ITEM: INK-TRO-UF

NAME: UltiFast Ink

SURFACES: Porous and Non-Porous DRY TIME: Approximately 45 Seconds.

VEHICLE: Solvent Based COLORS: Black, Red & Blue.

SIZES: 6 cc and 2 oz APPLICATION: Re-Fill Ink Specifically For Pre-Inked UltiFast (U.F.) Flash Stamp.

CHARACTERISTICS: Fast Drying, Water Resistant Ink.



ITEM: INK-TRO-RM

NAME: Royal Mark Re-Inking Fluid

SURFACES: Porous

DRY TIME:

VEHICLE: Oil Based

COLORS: Black, Red, Blue, Green & Violet.

SIZES: 6 cc

APPLICATION: Re-Inking Fluid Specifically for Pre-Inked Royal Mark Foam Stamps.

CHARACTERISTICS:

**Trodat** 

**Trodat** 



ITEM: INK-SXS-SS

NAME: Secure Stamper Ink

SURFACES: Porous

DRY TIME:

VEHICLE: Oil based COLORS: Black SIZES: 10 ml

APPLICATION: S-Series Secure Stamper

CHARACTERISTICS: Re-ink your stamp overnight to allow full absorption of ink.

Page 4

modal

Shachihata - Xstamper



ITEM: INK-SXS-XST NAME: Xstamper Ink SURFACES: Porous

DRY TIME:

VEHICLE: Oil Based

COLORS: Lt Green, Red, Black, Blue, Brown, Green, Purple, Orange, Yellow, Pink & Lt Blue

SIZES: 5pk Cartridge, 10 ml, 20 ml & 60 ml

APPLICATION: N-Series, VX C-Series, VersaDater, Pre-Inked Stock & Specialty Stamps.

CHARACTERISTICS: Re-ink your stamp overnight to allow full absorption of ink.



ITEM: INK-SXS-STSG

NAME: Fast Dry Industrial STSG Ink SURFACES: Porous and Non-Porous

DRY TIME: Red, Black, Blue, Green, Purple & Yellow 90-120 Seconds. White 40-50 Seconds

VEHICLE: Alcohol

COLORS: Red, Black, Blue, Green, Purple, White, Yellow & Solvent

SIZES: 20 ml and 60 ml

APPLICATION: F-Series Industrial Stamps and Traditional Rubber Stamps

CHARACTERISTICS: Fast Drying Permanent Ink.

Shachihata - Xstamper

Shachihata - ClassiX



ITEM: INK-SCL-CLX

NAME: ClassiX Ink SURFACES: Porous

DRY TIME:

VEHICLE: Water Based

COLORS: Red, Black, Blue, Green & Purple

SIZES: 6 cc and 2 oz

APPLICATION: ClassiX Self-Inking Stamps and Traditional Stamp Pads

CHARACTERISTICS:

Shachihata - ClassiX

Shachihata - Artline



ITEM: INK-SAR-470

NAME: Hi-Seal 470 Invisible Ultra-Violet Ink

SURFACES: Skin

DRY TIME: Dries in seconds.

VEHICLE:

COLORS: Glows Yellow Under UV (Black) Light

SIZES: 2 oz and 4 oz

APPLICATION: Traditional Rubber Stamp

CHARACTERISTICS:



ITEM: INK-SAR-480

NAME: Hi-Seal 480 Invisible Ultra-Violet Industrial Ink

SURFACES: Non-Porous DRY TIME: 30 Seconds.

VEHICLE:

COLORS: Glows Yellow Under UV (Black) Light.

SIZES: 2 oz and 4 oz

APPLICATION: Traditional Rubber Stamp

CHARACTERISTICS:



ITEM: INK-SAR-430

NAME: Hi-Seal 430 General Purpose Industrial Ink

SURFACES: Porous and Non-Porous

DRY TIME: 20 Seconds

VEHICLE:

COLORS: Red, Black, Blue, Green, Purple, White & Yellow.

SIZES: 2 oz and 4 oz

APPLICATION: All-Metal Self-Inking Rubber Stamps and Traditional Rubber Stamps.

CHARACTERISTICS:



ITEM: INK-SAR-450

NAME: Hi-Seal 450 Food Packaging Ink SURFACES: Porous and Non-Porous

DRY TIME: 45 Seconds

VEHICLE:

COLORS: Red, Black, Blue, Green, Purple, White & Yellow.

SIZES: 2 oz and 4 oz

APPLICATION: All-Metal Self-Inking Price Markers and Traditional Rubber Stamps. CHARACTERISTICS: USDA Approved, Waterproof and Perfect for Extreme Conditions.



ITEM: INK-SAR-520

NAME: Hi-Seal 520 General Purpose Industrial Ink

SURFACES: Porous and Non-Porous

DRY TIME: 10 Seconds

VEHICLE:

COLORS: Red, Black, Blue, Green, Purple, White & Yellow.

SIZES: 2 oz and 4 oz

APPLICATION: All-Metal Self-Inking Rubber Stamps and Traditional Rubber Stamps.

CHARACTERISTICS: Waterproof and Resistant to Mild Solvents.



ITEM: INK-SAR-540

NAME: Hi-Seal 540 General Purpose Industrial Ink

SURFACES: Porous and Non-Porous

DRY TIME: 20 Seconds

VEHICLE:

COLORS: Red, Black, Blue, Green, Purple, White & Yellow.

SIZES: 2 oz and 4 oz

APPLICATION: All-Metal Self-Inking Rubber Stamps and Traditional Rubber Stamps.

CHARACTERISTICS: Highly resistant to Most Solvents.



ITEM: INK-SAR-SP

NAME: Artline Stamp Pad Ink

SURFACES: Porous

DRY TIME: VEHICLE:

COLORS: Black, Blue, Red, Green & Purple

SIZES: 50 cc

APPLICATION: Artline Felt Stamp Pads.

CHARACTERISTICS: For use ONLY with dry or previously inked ARTLINE felt stamp pads.



ITEM: INK-SAR-STG

NAME: Quick Dry Industrial STG Ink SURFACES: Porous and Non-Porous

DRY TIME: Red, Black, Blue, Green, Purple & Yellow 3-5 Minutes. White 1.5-2 Minutes.

VEHICLE: Alcohol Based COLORS: Red, Black, Blue, Green, Purple, White, Yellow & Solvent

SIZES: 20 ml and 60 ml

APPLICATION: Traditional Rubber Stamps.

CHARACTERISTICS: Quick Drying Permanent Ink. NOT for use in F-Series Stamps (See STSG Ink).

## INK size conversion Helpful Reference

	ml	OZ	
	6	0.2	
	7.4	0.25	( 1/4 oz )
	10	0.34	
	14.8	0.5	( 1/2 oz )
	20	0.68	
	25	0.85	
	26.6	0.9	
	50	1.7	
	59.1	2.00	
	60	2.0	
	118.3	4.00	
	236.6	8.00	
	473.2	16.00	( Pint )
	946.4	32.00	( Quart )
(Liter)	1000	33.81	
	3785.4	128.00	(Gallon)
	3. 30. 1	3.00	, 52.11011 /

## Bold print is actual product size.

Standard print is conversion size.

Metric Helpful Reference

1 cc = 1 ml1000 cc = 1 Liter

English Helpful Referece

Pint = 16 ozQuart = 32 ozGallon = 128 oz

M&M Custom Fabricating, Inc.